



STERASPACE AIR & SURFACE SANITISERS

THE MOST ADVANCED VIRUS
AND BACTERIA CONTROL
TECHNOLOGY OF ITS KIND



Proven to kill 98.11% of airborne and 99.6% of surface micro-organisms



Controls infections by killing bacteria, viruses, mould and fungi



Removes odours, pollen, pollution and smoke



Provides 24 hour protection, 365 days a year



Choice of four units to suit all sizes and usage type of spaces



AIRFLOW | TECHNOLOGY | EXPERTISE

SteraSpace Air & Surface Sanitisers provide continuous protection from the spread of harmful bacteria, viruses, mould, fungi and odours. The units work by combining three advanced technologies in order to emit a constant flow of disinfecting plasma which is proven to eliminate micro-organisms both in the air and on surfaces.



INTERNAL TECHNOLOGIES

- Germicidal Irradiation
- PCO – Photo Catalytic Oxidation
- Dual Waveband UV Technology

TRANSMITTED TECHNOLOGIES OUT

- Superoxide Ions
- Targeted Ozone
- Purified Air

EFFECTIVELY REMOVES

ADDITIONAL BENEFITS

THE EFFICACY OF STERASPACE DEVICES HAS BEEN TESTED BY UK PUBLIC HEALTH LABORATORIES

- | | |
|---|---|
|  MICRO ORGANISMS |  FUNGI |
|  BACTERIA |  ODOURS |
|  MOULDS |  VOLATILE ORGANIC COMPOUNDS |

- Cleans deep into fabrics, prolongs life of carpets and soft furnishings
- Eliminates need for masking agents
- Can help to reduce staff absenteeism and agency costs
- Improves environment for residents, staff and visitors

- This technology has been proven to kill 98.11% of airborne and 99.6% of surface micro-organisms
- 206% more powerful than chlorine
- Energy Field equals to 10,000 times of natural sunlight
- 157% more powerful than hydrogen peroxide

THE STERASPACE RANGE



	STERASPACE WASHROOM	STERASPACE WASHROOM +	STERASPACE 80	STERASPACE 20
Dimensions (mm)	400mm (h) x 125mm (w) x 90mm (d)	420mm (h) x 140mm (w) x 95mm (d)	430mm (h) x 130mm (w) x 100mm (d)	(10) 285mm (h) x 185mm (w) x 95mm (d) (20) 345mm (h) x 185mm (w) x 95mm (d)
Weight (Kg)	0.9Kg	1.5Kg	2.05Kg	(10) 1.3Kg (20) 1.6Kg
Power Supply	220-230V / 10 watts (via 13a switched spur)	220-230V 11.5-13 watts (via switched fused spur)	220-230V / 33watts	(10) 220-230V / 15watts (20) 220-230V / 18watts
Operation	Continuous, indicated by blue lamp. Requires annual lamp change.	Continuous, indicated by blue lamp. Fan operation distributes sanitised air throughout washroom. Requires annual lamp change.	Continuous, indicated by blue lamp. Fan operation distributes sanitised air throughout space. Requires annual lamp change.	Continuous, indicated by blue lamp. Requires annual lamp change.
Area Size	10m ² / 20m ² / 30m ²	High: 20m ² / 30m ² - Extreme: 30m ² / 40m ²	20m ² / 40m ² / 60m ² / 80m ²	10m ² / 20m ²
Cover Material	Polycarbonate	Anodised Aluminium	Anodised Aluminium	Anodised Aluminium
Cover Colour	Titanium look or White	Titanium	Titanium	Titanium
Installation Options	Wall mounted vertical installations only	Wall or ceiling, vertical or horizontal mounted	Wall or ceiling, vertical or horizontal mounted	Wall mounted silent operation. Thermal Convection.
Product Codes	PWA10TNM – 10m2 area size PWA10 WHT– 10m2 area size PWA20 TNM– 20m2 area size PWA20 WHT– 20m2 area size PWA30 TNM– 30m2 area size PWA30 WHT– 30m2 area size	PCA20 – 20m2 area size, high footfall PCA30 – 30m2 area size, high footfall PCA30X – 30m2 area size, extreme footfall PCA40X – 40m2 area size, extreme footfall	PMA20 – 20m2 area size PMA40 – 40m2 area size PMA60 – 60m2 area size PMA80 – 80m2 area size	PSA10 – 10m2 area size PSA20 – 20m2 area size
Best Suited Applications	Perfect for Sluice rooms or Baby Change rooms. Not suitable for areas of constant occupation.	Suitable for all high to extreme footfall, public & commercial washrooms. High footfall is classed up to 1,000 washrooms visits per day. Extreme footfall is classed as over 1,000 washroom visits per day.	Use in constantly occupied enclosed areas including; changing rooms, kitchens and food preparation areas, care home lounges, corridors and reception areas, waiting rooms, open plan offices & nurseries.	Use in constantly occupied enclosed areas. Ideal for Care Home resident bedrooms, as well as Offices and small to medium Public Areas.



AFTERCARE & SERVICING MADE EASY

- 12-month warranty as standard
- UK sales & support team
- Quick & simple parts ordering

- Annual lamp change required
- Comprehensive instructions included



ENQUIRIES & SALES CONTACT:

Email: sales@airdri.com
Tel: +44 (0)1865 882330
Web: www.airdri.com

The SteraSpace
Air & Surface Sanitiser range:
SteraSpace Washroom
SteraSpace Washroom +
SteraSpace 20
SteraSpace 80
SteraSpace Elevator